

Community Garden

at Community of Christ

990 Meridian Ave., San Jose

Founded 2017

July 2023—Newsletter #32





"To plant a garden is to believe in tomorrow." - Audrey Hepburn

Marcia's soapy garden tips

HOW CAN SOAP HELP YOUR GARDEN?

First, what soap should you use in you garden? Use dish soap or castile soap. It easily dilutes with water limiting the chance it will harm vegetation. For using pieces or shavings of bar soap, use a highly fragrant soap like "Irish Spring."

An extra bit of trivia, for those who suffer from mosquito bites: keep a leftover piece of soap and rub it across the itchy bug bite for instant relief.

DETERING MICE OR EVEN DEER FROM YOUR GARDEN

Place several pieces of highly scented soap in areas where you do not want the pests. Sprinkling soap shavings around the garden may help keep unwanted pests from feeding on your plants.

BANISHING BUGS WITH INSECTICIDAL SOAP

To make your own insecticidal soap solution, mix 1.5 teaspoons of soap (see above) with 1 quart water. Put it in a spray bottle and lightly spray the infected areas. Insecticidal soap kills most soft-bodied insects, such as mealybug and aphids, by dehydration. Try to spray the bugs, not the plants. For aphid removal, you may need to spray several times.

https://www.angi.com/articles/how-to-get-ridaphids.htm.

STOPPING SLUGS

Best to just pluck them off and plunk them into a bucket of soapy water.

BOOSTING WATER INTAKE

If your plants seem to be in need of water, use a mild soap solution like castile soap and water to houseplants. Also, some potting mix is difficult to rewet when it dries out. Soap helps break surface tension and allows water to penetrate the roots.

See https://www.angi.com/articles/how-soap-can-help-your-garden for more information.

Thank you, Marcia Plumb

TABLE OF CONTENTS

PAGE 1

- Marcia's soapy garden tips
- FYIs (Evensong & Independence Day Celebration)

PAGE 2-4

- Garden Hints & Tips
- July Sept Vegetable/Herb/Fruit Guide
- Milpitas Food Pantry donations

PAGE 5

- Volunteer opportunities
- Grateful Gardens Map Legend

PAGE 6

June Evensong Pictures

Do you have garden questions, newsletter ideas OR have some free time? Check with Collette or Karen about projects that could use your help. please send an email to gratefulgardenssi@gmail.com

Thanks to <u>WWW.kellogggarden.com</u> for much of the information in this month's newsletter.

ORGANIC GARDENING

We are an organic community garden.

Please use only OMRI approved products including soil amendments, fertilizers, and pest control products.





Kudos and FYI's

Garden rules changed in 2023 to encourage you to bring friends to this space.

Evensong in the Garden – A secular community gathering of music, poetry, readings, campfire, conversation, walking the labyrinth on the 2^{nd} and 4^{th} Tuesdays from 7pm – 8pm. (5/30, 6/13, 6/27, 7/11, 7/25, 8/15, 8/29.

July 2nd – Independence Day Celebration! – Come celebrate with us from 12:30 – 3:30PM. There will <u>Hamburgers</u>, <u>Hot Dogs, Green Salad</u>, <u>Watermelon</u>, <u>Popsicles</u>, <u>Lemonade</u>, <u>Iced Tea & Water</u>.

Activity: Music (recorded), Kiddie pool and other water toys, Bubbles, Balls/outdoor games, Labyrinth, Flower pressing, Contests & games, with prizes!

Gardening Hints and Tips

- The July list of what to do in the West starts with simple, predictable tasks like irrigation. Almost every plant, including drought tolerant succulents, appreciate a deep drink when it's hot and dry. It is critical to water vegetables, like tomatoes, frequently, while tougher veggies like squash and beans do well with a little less.
- Read more at Gardening Know How: Regional To-Do List: Western Gardening In July

July - Sept Vegetable/Herb/Fruit Guide

Calantaria	Sow	DI .				
Color Legend	Seeds	Plant	Harvest		1	NOTE
Plant	Seeds	Plants	JUL	AUG	SEP	NOTES
Artichoke		Transplant				
	Direct					
Arugula	Sow					
						Distance to 12 10 Unide and C 0 Unide and Leave
Acnarague		Transplant				Dig trench 12-18" wide and 6-8 " deep. Loosen soil deeper for best results.
Asparagus	Direct	Transplant				son deeper for best results.
Beans	Sow					Direct sow.
Dearis	Direct					Direct sow.
Beets	Sow					Thin to 3" apart, final spacing 5"
beets	JOW					
Bell Peppers		Transplant				Ideal Temp 80-90 degrees
вен г еррегз		Transplant				lucal remp 80-30 degrees
	Direct					Select a variety best suited to your climate
Broccoli	Sow	Transplant				that will mature before hot weather begins.
Біоссоп	30W	Transplant				that will mature before not weather begins.
Brussel Sprouts		Transplant				Long growing season. Flavor improves with light frost.
Brusser sprouts	Direct	Transplant				Long growing season. Flavor improves with light flost.
Cabbage	Sow	Transplant				Cooler season crop
Cabbage		Transplant				Cooler season crop
Carrots	Direct Sow					Dislikes transplanting
Carrots	30W					Distinces transplanting
	Direct					
Cauliflower	Sow	Transplant				Brassica family.
Caumower	JOW	Transplant				brassica farmiy.
Celery		Transplant				Thin to 10-12 inches when seedlings have 3-4 true leaves.
celery	Direct	Transplant				Timi to 10-12 menes when seedings have 5-4 true leaves.
Collards	Sow					Brassica family.
	Direct					
Corn	Sow					Needs to be planting in rows for pollination.
						Treeds to september of permaters
	Direct					
Cucumbers	Sow	Transplant				Consider growing vertically on support structures.
	Direct					, , , , , , , , , , , , , , , , , , ,
Edamame	Sow					Long growing season. Succession plant for continual harvest.
						55 0 p.m
Eggplant		Transplant				Transplant to garden or container.
301	Direct					
Endive	Sow					Direct Sow and thin to 6-12 inches apart
	Direct					
Fava Beans	Sow					Prefers cooler weather.
	Direct					
Garlic	Sow	Transplant				Planting in Fall yields larger bulbs.
	Direct	2.15				, , , , , , , , , , , , , , , , , , , ,
Gourds	Sow	Transplant				Plant in hills that are well-spaced.
	Direct	2.15				
Green Beans	Sow					Grow on support structure such as teepees.
C. CCII DCUIIG		- I				c. c. c. capport structure such as tecpees.

]	7
				Plant root cuttings18 inches apart in trenches
Horseradish		Transplant		3 to 4 inches deep.
Leeks		Transplant		Onion family
Lottuco	Direct	Transplant		Diant in succession
<u>Lettuce</u> Okra	Sow	Transplant Transplant		Plant in succession
OKIA	Direct	Transplant		Soak seeds overnight before planting.
Parsnips	Sow			Direct sow 1" apart in wide rows. Thin to 3-4".
				Give potato seeds a head start by pre-sprouting orchitting
Potatoes		Transplant		them before planting.
	Direct			
Pumpkins	Sow	Transplant		
Radishes	Direct			Plant in succession.
Radisties	Sow			Possible to plant from seed, but less successful.
Rhubarb		Transplant		Planting rhizomes recommended. Heavy feeders.
Midbaib	Direct	Transplant		Figure 1 recommended. Fleavy recuers.
Rutabagas	Sow			Direct sow 1-2" apart in wide rows. Thin to 8 inches
<u> </u>	Direct			·
Shallots	Sow	Transplant		Onion family
	Direct			
Snap Peas	Sow			Plant in succession. Use support structure.
	Direct			
Soybean	Sow			
6	Direct			N
Spinach	Sow	Transplant		Plant in succession for continual harvest.
Squash	Direct Sow	Transplant		Consider growing on support structure.
Squasii	30W	Transplant		Grown from slips, not seeds. 50 Sprouts per slip.
Sweet Potatoes		Transplant		Wider spacing produces larger sweet potatoes.
				0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Tomatoes		Transplant		May require staking. Transfer to bed or planter.
	Direct			
Zucchini	Sow	Transplant		Plant 3-4 seeds per mound 4 inches high.
	. .			
Basil	Direct Sow	Transplant		Direct sow.
Dasii	Direct	Transplant		Direct sow.
Catnip	Sow			Mint Family
catinp	30			· · · · · · · · · · · · · · · · · · ·
	Direct			Cut six to eight inches from the top of the plants. This allows
Chives	Sow	Transplant		vigorous growth throughout the season.
Cilantro (Slow	Direct			
Bolt)	Sow			Direct sow.
	Direct			
Coriander	Sow			Start indoors or direct sow. Thin seedlings to 8-10 inches.
Dill	Direct			Piant and
Dill	Sow			Direct sow.
Fennel	Direct			Direct sow to avoid transplant shock. Not a good companion plant. Plant outside of vegetable garden.
i enner	Sow			piant. Fiant outside of vegetable garden.
	Direct			
Goldenrod	Sow	Transplant		Attracts beneficial insects.

				Direct sow spring or summer. Wound and digestive remedies. The herb can be harvested in the summer when
				just coming into flower (now) and can be dried for later use.
Laviandan	Direct	Tuenenlent		The roots can be dug and boiled for a salad as they are
Lavender	Sow	Transplant		starchy with a nutty taste.
Lavender (French -	Direct	Turnint		Nation Sensitive National and initial address to a Ultraham
Purple Ribbon)	Sow	Transplant		Mint family, Medicinal anti-viral, attracts pollinators
Lavender Lavandula	Direct Sow	Transplant		Mint family, Medicinal anti-viral, attracts pollinators
vera	30W	Transplant		white family, wedicinal anti-viral, actuacts polimators
	Direct			
Lemon Balm	Sow	Transplant		Quick to self-propagate.
				Care to comprehensive
Mint		Transplant		Quick to self-propagate,
	Direct	·		
Mustard	Sow			
Oregano		Transplant		Mint Family
	Direct			
Parsley	Sow	Transplant		Carrot family
Roselle (Red)				
Hibiscus sabdariffa		Transplant		Produces when days get shorter
Docomony		Transplant		Mint Family Clay to garminate with 20% success rate
Rosemary	Direct	Transplant		Mint Family. Slow to germinate with 30% success rate.
Sage	Sow	Transplant		Thin and transplant when 2 true sets of leaves are present.
3486	30.11	Transplant		Timi and transplant when 2 trac sets of leaves are present.
	Direct			
Tarragon	Sow	Transplant		Start seeds indoors. Low light. Room temperature.
<u> </u>		·		
Thyme		Transplant		Mint family. Thinly scatter seeds and sprinkle with soil.
				Stratify seeds. Once seedlings are 4 inches in
Blackberries		Transplant		height, they can be planted outdoors.
Blueberries		Transplant		Start seeds in trays for later transplant.
	Direct	_		
Cantaloupes	Sow	Transplant		Direct sow 2-3 seeds per hill.
Grapes	Dine	Transplant		Plant seedling vines 6-10 feet apart.
Honeydew	Direct Sow	Transplant		Direct sow 2-3 seeds per hill.
Raspberries	3000	Transplant		Direct 30W 2-3 Seeds per filli.
паэрьстиез		Transplant		
Strawberries		Transplant		Plant in mounded rows.
		s.iopiant		
	Direct			
Watermelon	Sow	Transplant		Direct sow 2-3 seeds per hill.

Milpitas Food Pantry

EXTRA VEGGIES? If you have extra veggies, consider donating to a food pantry!

Marcia works at Milpitas Food Pantry and can pick up extra produce on Monday and Wednesday evenings. If you are interested, she can be reached at the following number 408.892.8924.



VOLUNTEER OPPORTUNITIES - 6/24 - Volunteer Orientation

The garden has many volunteer opportunities. **Following is a map and legend of the stations** within the garden.

The volunteer would adopt the station and maintain the area.

Grateful Gardens Map Legend

Station 1: Shed and surrounding area – **Time:** 1-2 hours per week

Station 2: Elaeagnus, Grevillea bushes – Time: 1-2 hours per week

Station 3: Chickens – **Time:** 5-6 hours per week

Station 4: Herb Garden – Time: 2-3 hours per week

Station 5: Bees – Bees need specialized care by knowledgeable staff

Station 6: Furniture, Pop up – Time: varies based on project

Station 7: Artichoke Field – **Time:** 2-3 hours per week

Station 8: Sunflower field – **Time:** 2-3 hours per week

Station 9: Gate – **Time:** 2-3 hours per week

Station 10: Compost – **Time:** 4-6 hours per week

Station 11: Pumpkin field – **Time:** 2-3 hours per week

Station 12: Cromberg Fire Circle – **Time:** 2-3 hours per week

Station 14: Labyrinth – **Time:** 3-5 hours per week

Station 15: Memorial Path – **Time:** 1-2 hours per week



